

## FC HBA Replacement Guide for HPE ProLiant/Apollo/Synergy servers

## Why Marvell® QLogic® for HPE

- Predictable performance Port Isolated design delivers deterministic and scalable performance on each port
- Improve scalability support for concurrent FCP and FC-NVMe improve ability to scale to newer platforms and maintain compatibility with existing arrays
- Minimize congestion impact Universal SAN Congestion Mitigation (USCM) automates FPIN communications between HBA and FC switch to reduce impact of SAN congestion
- Virtualization optimized support for NPIV, CS-CTL, VMID and Virtual Lanes deliver QoS and make these adapters ideal for ever-changing virtual server workloads
- Simplified Deployment & Troubleshooting – integrated features with B-Series and C-Series switch and HPE SFM reduce TCO related to installation, configuration and diagnostics

FOL = End of Lit

|                     | HPE/Marvell QLogic Model |            | Replaces HPE Model   |  |
|---------------------|--------------------------|------------|--|--|
| 16Gb 1-port<br>HBA  | SN1100Q 1-port           | P9D93A     | SN1200E 1-port<br>SN1100E 1-port<br>SN1000Q 1-port                   | Q0L13A,<br>C8R38A, EOL<br>QW971A, EOL            |
| 16Gb 2-port<br>HBA  | SN1100Q 2-port           | P9D94A     | SN1200E 2-port<br>SN1100E 2-port<br>SN1000Q 2-port                   | Q0L14A<br>C8R39A, EOL<br>QW972A, EOL             |
| 32Gb 1-port<br>HBA  | SN1610Q 1-port           | R2E08A     | SN1600E 1-port<br>SN1600Q 1-port<br>SN1610E 1-port                   | Q0L11A<br>P9M75A, EOL<br>R2J62A                  |
| 32Gb 2-port<br>HBA  | SN1610Q 2-port           | R2E09A     | SN1600E 2-port<br>SN1600Q 2-port<br>SN1610E 2-port                   | Q0L12A<br>P9M76A, EOL<br>R2J63A                  |
| 32Gb Synergy<br>HBA | 5830C                    | 777456-B21 | 3530C<br>3830C<br>5330C  | 777454-B21, EOL<br>777452-B21, EOL<br>870828-B21 |
| 64Gb 1-port<br>HBA  | SN1700Q 1-port           | R7N86A     | SN1600E 1-port<br>SN1600Q 1-port<br>SN1610E 1-port<br>SN1700E 1-port | Q0L11A<br>P9M75A, EOL<br>R2J62A<br>R7N77A        |
| 64Gb 2-port<br>HBA  | SN1700Q 2-port           | R7N87A     | SN1600E 2-port<br>SN1600Q 2-port<br>SN1610E 2-port<br>SN1700E 2-port | Q0L12A<br>P9M76A, EOL<br>R2J63A<br>R7N78A        |



## Rely on #1 Fibre Channel supplier for HPE

- Market Leader 6 out of 10 HPE customers use QLogic HBAs from Marvell
- Only HBAs with **Dual-port Isolation** design
  - Delivering predictable and scalable per-port performance



- FC-SCSI/FC-NVMe unified driver
  - Common driver simplifies customer configurations as they transition to NVMe storage arrays
- Virtualization optimized
  - VM-ID auto negotiation and Virtual Lane technology for improved quality of service in virtual server environments
- Automatic SAN congestion mitigation
  - Universal SAN Congestion Mitigation leveraging FPIN notifications with B & C-series
  - No additional software/cost to enable all FPIN features
- Fabric management integration with Brocade and Cisco switch mgmt and with HPE software (Storage Fabric Manager, HPE iLO)

Don't settle for 2<sup>nd</sup> best. Always choose QLogic for HPE. www.marvell.com/hpe