

64 Gbaud Quad-Channel, Linear Differential Inputs, Single-Ended Output Driver

Part No.

IN6417SZ

Product Type

Linear Drivers

Market Segments

Long Haul/Metro

Applications

200G/400G coherent systems

Features

- · Supports baud rates up to 64 Gbaud
- Differential-ended inputs, single-ended linear outputs
- · Wide adjustable gain
- Manual Gain Control (MGC)
- · High electrical bandwidth
- · Peaking control to compensate loss
- Excellent THD
- Peak detector outputs
- · Thermal down
- RoHS-compliant 4 channels in package with AC-coupled inputs and bias-T output included
- Unconditionally stable and exempt of any spurious tones or oscillation either inband or out-of-band

Description

The IN6417SZ is a 64 Gbaud Quad-Channel Linear Differential-Input, Single-Ended Output Driver with SMT Interface for 200G DP-QPSK and 400G 16QAM optical transmission applications.

The IN6417SZ has excellent THD, high bandwidth, adjustable gain and includes an output peak detector function.

The IN6417SZ is available in an RoHS-compliant hybrid package with SMT interface and AC-coupled inputs and high-speed bias-T at the output.



To deliver the data infrastructure technology that connects the world, we're building solutions on the most powerful foundation: our partnerships with our customers. Trusted by the world's leading technology companies for 25 years, we move, store, process and secure the world's data with semiconductor solutions designed for our customers' current needs and future ambitions. Through a process of deep collaboration and transparency, we're ultimately changing the way tomorrow's enterprise, cloud, automotive, and carrier architectures transform—for the better.